



don de M'. W. Morton. Lausanne 1931






711LA 295 2°


Musée de Zoologie Lausanne Bibliothèque





- , 8 Petitii Réclus
- 2. S. Listeri. Réches.
- 3. S. Neritoideus. Réctus.
- S. Neritoideus. Roctic...
- G. SIGARETUS. Lamarek
- 5. S. Javanieus oray.
 - r S. Javanieus, *Grap*i.
- 7. S. Leachii. Samerby.
- 8. S. Lavigalus. Lamarck.
- a. S. Larvigatus. Lamarek.
- 10. S Lævigatus Lamarek.
- 11. S. Lævigatus. var. rosea.
- 12. S. Lavigatus var. Ma.






G. CORONULA. Lamarek.

- 7. C. Balomaris. Lamarck.
- 2. C. Testiludinaria. Lamarck.

- 3. C. Diadema. Lamarck.
- 4. C Baltenaris jeune du





A. Remond imp.


, à v. S. Dentatus. Linné.

g i is. S. Dentatus. Ductor, var arcene tamarch.

S. Olydius. nucles.

io a ig. 8. Erythrinus. chemnic.






1-2. S. Fusiformis Jamerby. o-- S. Turritus. var. 3. S. Mutabilis. var. C. Smainson. 8-9. S. Isabella. Lumarck.

4-5. S. Turritus. Lamarck. 10-11. Mollusque du S. Orientalis. Jourton.

12-13. S. Fasciatus. nar. Born.






S. Athenius. Ductos. 3-6. S. Granulatus. Wood. 3-4. S. Bonelli. Brongniart. --8. S. Fasciatus. Barn.

g-10. S. Variabilis. Smainson.






Prétre pinse.

V. Rémond imp.

G. STROMBUS. Limbe.

7. S. Gibberulus. Zimić. 🚁 S. Auris Diano. Zume. 8. Luhuanus. Linnis. o. S. Papilio. Chemnits. 3. S. Lentiginosus, Zinné. was S. Campbelli, Jamesty.






1. S. Pupills. Linné. var. avec le Mollusque. 4. S. Pupills. Linné. var. s'toanii Leach. 2. S. Pugilis. Linné, le Mollusque sans la coquille. 5. S. Pugilis. Linné. Inatomie. Pactos. 3. S Pugilis. Linné, var. double Carène, Chemnitz. 6-7. S. Pugilis Linné, var. Gracitior. Somerby.

3-9. S. Pyrulatus. Junior. Lamarck. S. Dubins. Kiener.





Pretre pine.


N. Rémond imp.

G. STROMBUS. Linné.

1-2. S. Pyrulatus. Lamarck. 3 à 6. S. Gallus. Linné.

7-8. S. Pyrulatus. Junior - St. Dubius Kiener.






Pretre pine.

N. Remond imp.

G. STROMBUS, Linne.

1-2. S. Sulcatus. 5-6. S. Dentatus. Liané, var. Minima, Urceur. Chemnitz . 3-4. S. Costatus. 7-8. S. Sibbaldii. Somerby. ometin .






1 et 2. S. Pertinax Ductor.

3. S. Thersites. Gray.

Jets. S. Mediterraneus. Lamarck.

o et 7. S. Orientalis. Joneton.






G. FICUS. Rousseau.

1. F. Ventricosa, Rouweau. 2. F. Ventricosa . vac. 3. F. Clathrata. Rouseeau.


*						
	P.					
				i	,	
					<u>.</u> =	
		>				
			100 100 100			
	130					



G. FICUS, Rousseau.

1. E. Bulbiformis. Rousseau. 2. F. Clava. Rousseau.






G. FICUS. Rousseau.

1. F. Clava, jeune dge, Rousseau 2. F. Nexills, Rousseau.






G. PECTEN. Brugnières.

2. P. Rubicundus, chem. 4. P. Dentatus, somechu.
2. P. Zigzag, chemnits. 5. P. Vola, ktein.






G. PECTEN. Bruguières.

, P Pleuronectes Lamarck.

2 et 3. L. Pleuronecles . «ans épiderne





G. PECTEN. Bruguières.

1 ii 6. P. Flagellatus. Lamarck.


2 et 8. P. Aspersus. Lamarck.

12 et 13. P. Flavidulus. Lamarck.

12 et 13. P. Plica. Lamarck.


13 et 15. P. Subplicatus. Somerby.





6. PECTEN. Bruguières.
1 d o. P. Sulcatus. Lamarch. 6 d 7. P. Virgo. Lamarch.
8 d o. P. Enjeolov. Lamarch.






G. PECTEN, Bruguières.

100. P. Griseus. Lamarek.

100. 14. P. Distans. Lamarek.






G. PECTEN. Brugnieres.


1. P. Convexus. Quay et d'aimard. d'après les Figures du Vayage de l'Astrolabe. 2. P. Foliaceus. Quay et Gaimard. id id.
3. P. Bifrons. Lamarek.






G. PECTEN. Bruguières.

1 á 7. P. Nodosus et variétée. Lamarek.



Dancone soulp




G. PECTEN. Bruguières.

Contor pure

N. Rémond imp.

7 % 18. P. Opercularis . Lamacek .


			'A	
		·		
	•			
			•	
	•			
-				
	•			
			,	
			•	
				-
	•			
	•			
			•	




G. PECTEN Brugmères.

1 et 2. P. Lineatus. Pacocta.

4 å g. P. Inflexus. Lamarek 3. P. Flexhosus, tamarck, 10 ct n. P. Irradians, tamarck,





G. PECTEN. Bruguières.

1 à 3. P. Pseudamusium. Chemnitz P. Dispar Lamarck.


3.ª Value inférieure d'un Pecten Opercularis, crreur de Lamarck.

4 à 6. P. Plica. Lamarck.

7 áz.g. P. Clavatus. *Poli* .


10 á 12. P. Lati-auritus. Lamarck.





, G. PECTEN. Bruguieres.





G. PECTEN. Bruguieres.

2 d d. P. Ornatus. Lamarck.

2 d d. P. Ornatus. Lamarck.


2 d d. P. Tranquebarieus. Lamarck.

2 d D. Tranquebarieus. Lamarck.

2 d D. P. Gibbus. Lamarck.

2 d D. P. Gibbus. Lamarck.





G. PECTEN Bruguières.

2 d 3. P. Armoricanus. Chenu.

4. P. Macassarensis. Chenu.

5. P. Solaris. Born.

7. P. Sulcatus. Lamarck.

8 et g. P. Sulcatus. Lamarck.

to P. Purpurascens. varietas





